



# Material Safety Data Sheet


## EMERGENCY NUMBERS:

(USA) CHEMTREC : 1(800) 424-9300 (24hrs)

(CAN) CANUTEC : 1(613) 996-6666 (24hrs)

(USA) Anachemia : 1(518) 297-4444

(CAN) Anachemia : 1(514) 489-5711

WHMIS	Protective Clothing	TDG Road/Rail
Not controlled under WHMIS (Canada).		Not controlled under TDG (Canada). PIN: Not applicable. PG: Not applicable.
		

## Section I. Product Identification and Uses

Product name	BUFFER SOLUTION, pH 4.00, COLORED RED	CI#	Not available.
Chemical formula	Not applicable.	CAS#	Not applicable.
Synonyms	R-1180CR, 15213	Code	R-1180CR
Supplier	Anachemia Canada. 255 Norman. Lachine (Montreal), Que H8R 1A3	Formula weight	Not applicable.
		Supersedes	
Material uses	For laboratory use only.		

## Section II. Ingredients

Name	CAS #	%	TLV
1) POTASSIUM BIPHthalATE 2) WATER	877-24-7 7732-18-5	1-5 90-100	Not established by ACGIH Not established by ACGIH

### Toxicity values of the hazardous ingredients

#### POTASSIUM BIPHthalATE:

ORAL (LD50): Acute: >3200 mg/kg (Rat).

DERMAL (LD50): Acute: >1000 mg/kg (Guinea Pig).

### Section III. Physical Data

BUFFER SOLUTION, pH 4.00, COLORED RED page 2/4

**Physical state and appearance / Odor** Red liquid. Odorless.

**pH (1% soln/water)** Product = 4

**Odor threshold** Not available.

**Percent volatile** 100% (w/w). ( Water).

**Freezing point** Not available.

**Boiling point** Not available.

**Specific gravity** >1 (Water = 1)

**Vapor density** Not available.

**Vapor pressure** Not available.

**Water/oil dist. coeff.** Not available.

**Evaporation rate** Not available.

**Solubility** Miscible in water.

### Section IV. Fire and Explosion Data

**Flash point** Not available.

**Flammable limits** Not available.

**Auto-ignition temperature** Not available.

**Fire degradation products** Oxides of potassium and carbon.

**Fire extinguishing procedures** Use DRY chemical, carbon dioxide, alcohol-resistant foam or water spray. Wear adequate personal protection to prevent contact with material or its combustion products. Self contained breathing apparatus with a full facepiece operated in a pressure demand or other positive pressure mode.

**Fire and Explosion Hazards** Not expected to be sensitive to static discharge. Not expected to be sensitive to mechanical impact. Emits toxic fumes under fire conditions.

### Section V. Toxicological Properties

**Routes of entry** Inhalation and ingestion. Eye contact.

**Effects of Acute Exposure** May be harmful by inhalation or ingestion. Target organs: eyes, skin, mucous membranes.

**Eye** May cause irritation or corneal damage.

**Skin** May cause irritation.

**Inhalation** May cause respiratory tract irritation. May cause coughing, chest pains, difficulty in breathing.

**Ingestion** May cause gastrointestinal irritation. May cause nausea and vomiting.

## Section V. Toxicological Properties

BUFFER SOLUTION, pH 4.00, COLORED RED page 3/4

### Effects of Chronic Overexposure

Carcinogenic effects: Not available. Mutagenic effects: Not available. Teratogenic effects: Not available. Toxicity of the product to the reproductive system: Not available. To the best of our knowledge, the chemical, physical, and toxicity of this substance has not been fully investigated.

## Section VI. First Aid Measures

### Eye contact

Immediately flush eyes with copious quantities of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface. Seek immediate medical attention.

### Skin contact

Immediately flush skin with plenty of water and soap for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash contaminated clothing before reusing.

### Inhalation

Remove patient to fresh air. Administer approved oxygen supply if breathing is difficult. Administer artificial respiration or CPR if breathing has ceased. Call a physician.

### Ingestion

If conscious, wash out mouth with water. Have conscious person drink several glasses of water or milk. Induce vomiting. Seek immediate medical attention. Never give anything by mouth to an unconscious or convulsing person.

## Section VII. Reactivity Data

### Stability

Stable. Conditions to avoid: High temperatures, sparks, open flames and all other sources of ignition, contamination.

### Hazardous decomp. products

Not available.

### Incompatibility

Oxidizing agents, acids, bases, nitric acid. Water may react with water reactive materials (sodium, potassium, etc...).

### Reaction Products

Not available. Hazardous polymerization will not occur.

## Section VIII. Preventive Measures

BUFFER SOLUTION, pH 4.00, COLORED RED

page 4/4

**Protective Clothing in case of spill and leak** Wear respirator, safety glass, rubber boots and heavy rubber glove

**Spill and leak** Evacuate and ventilate the area. Absorb on sand or vermiculite and place in a closed container for disposal. Ventilate area and wash spill site after material pick up is complete. DO NOT empty into drains. DO NOT touch damaged container or spilled material.

**Waste disposal** According to all applicable regulations.

**Storage and Handling** Store in a cool place away from heated areas, sparks, and flame. Store in a well ventilated area. Store away from incompatible materials. Do not add any other material to the container. Do not wash down the drain. Do not breathe gas/fumes/vapor/spray. In case of insufficient ventilation, wear suitable respiratory equipment. Keep container tightly closed and dry. Manipulate under an adequate fume hood. Handle and open container with care. This product must be manipulated by qualified personnel. Do not get in eyes, on skin, or on clothing. Wash well after use. In accordance with good storage and handling practices. Do not allow smoking and food consumption while handling.


## Section IX. Protective Measures

**Protective clothing** Splash goggles. Impervious gloves, coveralls, and/or other resistant protective clothing. Sufficient to protect skin. In case of insufficient ventilation, wear suitable respiratory equipment. Do not wear contact lenses. Make eye bath and emergency shower available. Ensure that eyewash station and safety shower is proximal to the work-station location.

**Engineering controls** Local mechanical exhaust ventilation capable of minimizing emissions at the point of use. Do not use in unventilated spaces.

## Section X. Other Information

**Special Precautions or comments** Do not breathe vapor. Avoid all contact with the product. Avoid prolonged or repeated exposure. Manipulate in a well ventilated area or under an adequate fume hood. To the best of our knowledge, the chemical, physical and toxicity of this substance has not been fully investigated. Handle and open container with care. Container should be opened only by a technically qualified person.  
RTECS NO: CZ4326000 (Potassium biphthalate).



NFPA

Prepared by MSDS Department/Département de F.S..

Validated 04-Feb-2013

Telephone# (514) 489-5711

While the company believes the data set forth herein are accurate as of the date hereof, the company makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation and verification.